

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

DALLAS

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
016919

WELL TYPE
Private Well

DRILL DATE: 1958/01/16

TOWNSHIP RANGE SECTION

ELEVATION: 1,243FT

DRILL DEPTH: 165FT

31N 20W 3

UTM X UTM Y

DEPTH TO BED: 100FT

490,260.94 4,143,721.17
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
022132

WELL TYPE
Private Well

DRILL DATE: 1963/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,308FT

DRILL DEPTH: 170FT

32N 18W 1

UTM X UTM Y

DEPTH TO BED: 15FT

512,731.97 4,152,293.33
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1.5 MI NW OF CONWAY ON HWY B

S.W.L. (AFTER CASING): 63

LOG ID:
021360

WELL TYPE
Noncommunity Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 1,354FT

DRILL DEPTH: 300FT

32N 18W 12

UTM X UTM Y

DEPTH TO BED: 30FT

512,906.98 4,151,498.33
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Missouri State Highway Department

S.W.L. (AFTER CASING):

LOG ID:
022131

WELL TYPE
Private Well

DRILL DATE: 1963/06/22

TOWNSHIP RANGE SECTION

ELEVATION: 1,385FT

DRILL DEPTH: 165FT

32N 18W 12

UTM X UTM Y

DEPTH TO BED: 30FT

512,506.98 4,151,700.33
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI NW OF CONWAY ON HWY B

S.W.L. (AFTER CASING): 104



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025738

WELL TYPE
Private Well

DRILL DATE: 1967/06/20

TOWNSHIP RANGE SECTION

ELEVATION: 1,297FT

DRILL DEPTH: 170FT

32N 18W 12

DEPTH TO BED: 35FT

UTM X UTM Y
511,906.98 4,151,294.33
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1.5 MI ON HWY M W OF CONWAY

S.W.L. (AFTER CASING): 63

LOG ID:
015457

WELL TYPE
Private Well

DRILL DATE: 1957/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,358FT

DRILL DEPTH: 250FT

32N 18W 13

DEPTH TO BED: 203FT

UTM X UTM Y
512,458.00 4,150,086.33
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 203-250', NO SAMPLES 0-203'; 2 MI W OF CONWAY

S.W.L. (AFTER CASING):

LOG ID:
011272

WELL TYPE
Private Well

DRILL DATE: 1947/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,213FT

DRILL DEPTH: 44FT

32N 18W 3

DEPTH TO BED: 30FT

UTM X UTM Y
509,311.96 4,152,353.32
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 4 MI W & 3/8 MI N OPF CONWAY

S.W.L. (AFTER CASING):

LOG ID:
017938

WELL TYPE
Private Well

DRILL DATE: 1959/03/19

TOWNSHIP RANGE SECTION

ELEVATION: 1,218FT

DRILL DEPTH: 150FT

32N 18W 3

DEPTH TO BED: 30FT

UTM X UTM Y
509,511.96 4,152,153.32
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 29



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006084**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,164FT

DRILL DEPTH: 225FT

32N

20W

10

DEPTH TO BED: 10FTUTM XUTM Y

490,380.86

4,151,549.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40**LOG ID:****008677**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,240FT

DRILL DEPTH: 172FT

32N

20W

28

DEPTH TO BED: 90FTUTM XUTM Y

487,316.89

4,145,989.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008226**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,295FT

DRILL DEPTH: 765FT

32N

20W

33

DEPTH TO BED: 10FTUTM XUTM Y

488,660.90

4,145,578.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #1 HARVEY MITCHEL - DRY & ABANDONEDS.W.L. (AFTER CASING): 170**LOG ID:****023135**WELL TYPE

Private Well

DRILL DATE: 1964/03/11TOWNSHIPRANGESECTIONELEVATION:

1,326FT

DRILL DEPTH: 181FT

33N

18W

26

DEPTH TO BED: 50FTUTM XUTM Y

510,586.92

4,155,951.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI NW OF CONWAY ON HWY BS.W.L. (AFTER CASING): 81



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023138**WELL TYPE

Private Well

DRILL DATE: 1964/03/31TOWNSHIPRANGESECTIONELEVATION:

1,330FT

DRILL DEPTH: 111FT

33N

18W

35

DEPTH TO BED: 60FTUTM XUTM Y

510,953.93

4,154,944.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI NW OF CONWLAY ON HWY 13S.W.L. (AFTER CASING): 72**LOG ID:****023143**WELL TYPE

Private Well

DRILL DATE: 1964/01/22TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH: 115FT

33N

18W

36

DEPTH TO BED: 25FTUTM XUTM Y

512,174.95

4,153,708.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI NW OF CONWAY ON HWY BS.W.L. (AFTER CASING): 71**LOG ID:****027092**WELL TYPE

Private Well

DRILL DATE: 1969/06/17TOWNSHIPRANGESECTIONELEVATION:

1,308FT

DRILL DEPTH: 151FT

33N

18W

36

DEPTH TO BED: 10FTUTM XUTM Y

512,974.96

4,153,506.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI NW OF CONWAY - VERY POOR SAMPLESS.W.L. (AFTER CASING): 52**LOG ID:****011015**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIPRANGESECTIONELEVATION:

1,146FT

DRILL DEPTH: 130FT

33N

18W

4

DEPTH TO BED: 20FTUTM XUTM Y

507,286.81

4,163,052.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011021**WELL TYPE

Private Well

DRILL DATE: 1946/08/21 TOWNSHIP 33N RANGE 18W SECTION 4 ELEVATION: 1,127FT
DRILL DEPTH: 105FT UTM X 507,086.81 UTM Y 4,163,052.33
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI W OF LONG LANE ON HWY A
S.W.L. (AFTER CASING):

LOG ID:**013925**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/09/22 TOWNSHIP 33N RANGE 18W SECTION 4 ELEVATION: 1,178FT
DRILL DEPTH: 323FT UTM X 507,952.82 UTM Y 4,163,104.33
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 110

LOG ID:**025100**WELL TYPE

Private Well

DRILL DATE: 1966/10/20 TOWNSHIP 33N RANGE 18W SECTION 5 ELEVATION: 1,098FT
DRILL DEPTH: 205FT UTM X 506,670.82 UTM Y 4,162,667.32
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF LONG LANE; "BOILERHOUSE SAMPLES"
S.W.L. (AFTER CASING): 86

LOG ID:**011051**WELL TYPE

Private Well

DRILL DATE: 1947/09/04 TOWNSHIP 33N RANGE 18W SECTION 6 ELEVATION: 1,132FT
DRILL DEPTH: 60FT UTM X 503,883.82 UTM Y 4,161,706.31
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011052**WELL TYPE

Private Well

DRILL DATE: 1947/09/01TOWNSHIPRANGESECTIONELEVATION:

1,186FT

DRILL DEPTH: 85FT

33N

18W

6

DEPTH TO BED: 10FTUTM XUTM Y

503,883.81

4,162,094.31

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI W OF LONG LANE S OF HWY HS.W.L. (AFTER CASING): 55**LOG ID:****010446**WELL TYPE

Private Well

DRILL DATE: 1948/11/01TOWNSHIPRANGESECTIONELEVATION:

1,130FT

DRILL DEPTH: 275FT

33N

19W

17

DEPTH TO BED: 20FTUTM XUTM Y

495,850.81

4,159,036.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5.5 MI SE OF BUFFALOS.W.L. (AFTER CASING): 105**LOG ID:****017153**WELL TYPE

Private Well

DRILL DATE: 1958/04/12TOWNSHIPRANGESECTIONELEVATION:

1,189FT

DRILL DEPTH: 185FT

33N

19W

17

DEPTH TO BED: 25FTUTM XUTM Y

496,450.80

4,160,040.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MANY MISSING SAMPLESS.W.L. (AFTER CASING): 58**LOG ID:****026358**WELL TYPE

Private Well

DRILL DATE: 1967/09/23TOWNSHIPRANGESECTIONELEVATION:

1,188FT

DRILL DEPTH: 258FT

33N

19W

5

DEPTH TO BED: 5FTUTM XUTM Y

496,316.77

4,162,260.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI E OF BUFFALO ON HWY 32, S ON HWY H 2 MIS.W.L. (AFTER CASING): 185

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026349

WELL TYPE
Private Well

DRILL DATE: 1967/05/19 TOWNSHIP 33N RANGE 20W SECTION 21 ELEVATION: 1,171FT
DRILL DEPTH: 196FT UTM X 487,542.76 UTM Y 4,158,059.21
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Opal Martin - 6 mi S of Buffalo on Hwy 65, W side of
S.W.L. (AFTER CASING): road

LOG ID:
022112

WELL TYPE
Private Well

DRILL DATE: 1963/11/06 TOWNSHIP 33N RANGE 20W SECTION 23 ELEVATION: 1,168FT
DRILL DEPTH: 300FT UTM X 490,744.79 UTM Y 4,157,560.23
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 125

LOG ID:
026110

WELL TYPE
Private Well

DRILL DATE: 1968/07/15 TOWNSHIP 33N RANGE 20W SECTION 26 ELEVATION: 1,263FT
DRILL DEPTH: 250FT UTM X 491,714.82 UTM Y 4,155,956.23
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 7 MI S OF BUFFALO ON HWY F; "VERY GOOD SET OF SAMPLES"
S.W.L. (AFTER CASING): 150

LOG ID:
010208

WELL TYPE
Private Well

DRILL DATE: 1948/06/01 TOWNSHIP 33N RANGE 20W SECTION 3 ELEVATION: 1,165FT
DRILL DEPTH: 215FT UTM X 490,069.73 UTM Y 4,162,831.24
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010212**WELL TYPE

Private Well

DRILL DATE: 1947/11/28TOWNSHIPRANGESECTIONELEVATION:

1,148FT

DRILL DEPTH: 174FT

33N

20W

3

DEPTH TO BED: 10FTUTM XUTM Y

490,469.73

4,162,831.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF HWY 65S.W.L. (AFTER CASING): 66**LOG ID:****013527**WELL TYPE

Private Well

DRILL DATE: 1955/04/01TOWNSHIPRANGESECTIONELEVATION:

1,136FT

DRILL DEPTH: 183FT

33N

20W

3

DEPTH TO BED: 15FTUTM XUTM Y

489,469.73

4,162,831.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF JCT HWYS 64 & 65, ON HWY 65, & 0.25 MI WS.W.L. (AFTER CASING): 40**LOG ID:****025794**WELL TYPE

Private Well

DRILL DATE: 1968/11/15TOWNSHIPRANGESECTIONELEVATION:

1,168FT

DRILL DEPTH: 250FT

33N

20W

3

DEPTH TO BED: 10FTUTM XUTM Y

490,069.73

4,162,831.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****012181**WELL TYPE

Private Well

DRILL DATE: 1952/07/13TOWNSHIPRANGESECTIONELEVATION:

1,122FT

DRILL DEPTH: 300FT

33N

20W

5

DEPTH TO BED: 20FTUTM XUTM Y

486,463.71

4,162,524.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012375

WELL TYPE
Private Well

DRILL DATE: 1952/06/03 TOWNSHIP 33N RANGE 20W SECTION 6 ELEVATION: 1,166FT
DRILL DEPTH: 155FT
DEPTH TO BED: 10FT UTM X 484,473.70 UTM Y 4,162,172.21
S.W.L. (BEFORE CASING): FT ZONE 15
S.W.L. (AFTER CASING): 27 REMARKS:

LOG ID:
012366

WELL TYPE
Private Well

DRILL DATE: 1953/02/18 TOWNSHIP 33N RANGE 20W SECTION 7 ELEVATION: 1,172FT
DRILL DEPTH: 317FT
DEPTH TO BED: 10FT UTM X 484,630.72 UTM Y 4,160,561.20
S.W.L. (BEFORE CASING): FT ZONE 15
S.W.L. (AFTER CASING): 38 REMARKS: 2.1 MI N & 1.6 MI W OF FOOSE

LOG ID:
023604

WELL TYPE
Private Well

DRILL DATE: 1965/05/28 TOWNSHIP 34N RANGE 18W SECTION 1 ELEVATION: 987FT
DRILL DEPTH: 272FT
DEPTH TO BED: 30FT UTM X 512,750.69 UTM Y 4,174,678.36
S.W.L. (BEFORE CASING): FT ZONE 15
S.W.L. (AFTER CASING): 126 REMARKS: LONG SECTION; AT BENNETT SPRING ON HWY 64A

LOG ID:
023606

WELL TYPE
Private Well

DRILL DATE: 1965/06/19 TOWNSHIP 34N RANGE 18W SECTION 1 ELEVATION: 990FT
DRILL DEPTH: 281FT
DEPTH TO BED: 30FT UTM X 512,750.69 UTM Y 4,174,678.36
S.W.L. (BEFORE CASING): FT ZONE 15
S.W.L. (AFTER CASING): 120 REMARKS: LONG SECTION; AT BENNETT SPRING ON HWY 64A



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023737**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1964/04/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	937FT
<u>DRILL DEPTH:</u>	185FT	34N	18W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				512,679.69	4,174,559.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Cedar Court - 12 MI NW OF LEBANON; LONG			
<u>S.W.L. (AFTER CASING):</u>	60		SECTION			

LOG ID:**023739**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	882FT
<u>DRILL DEPTH:</u>	130FT	34N	18W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				512,750.69	4,174,200.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	20					

LOG ID:**025451**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/06/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	191FT	34N	18W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				512,750.70	4,173,722.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	400 YDS NW OF BENNETT SPRING			
<u>S.W.L. (AFTER CASING):</u>	34					

LOG ID:**026713**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/04/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,143FT
<u>DRILL DEPTH:</u>	229FT	34N	18W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				512,750.73	4,171,334.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LONG SECTION			
<u>S.W.L. (AFTER CASING):</u>	120					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018164**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/06/01TOWNSHIPRANGESECTIONELEVATION:

1,021FT

DRILL DEPTH: 300FT

34N

18W

3

DEPTH TO BED: 50FTUTM XUTM Y

509,734.67

4,174,774.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; WINDYVILLES.W.L. (AFTER CASING):**LOG ID:****015868**WELL TYPE

Private Well

DRILL DATE: 1955/09/05TOWNSHIPRANGESECTIONELEVATION:

1,140FT

DRILL DEPTH: 180FT

34N

18W

32

DEPTH TO BED: 30FTUTM XUTM Y

505,519.79

4,164,077.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 115**LOG ID:****010210**WELL TYPE

Private Well

DRILL DATE: 1948/06/01TOWNSHIPRANGESECTIONELEVATION:

1,189FT

DRILL DEPTH: 88FT

34N

18W

33

DEPTH TO BED: 5FTUTM XUTM Y

507,329.79

4,164,660.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****010211**WELL TYPE

Private Well

DRILL DATE: 1948/06/01TOWNSHIPRANGESECTIONELEVATION:

1,236FT

DRILL DEPTH: 110FT

34N

18W

36

DEPTH TO BED: 45FTUTM XUTM Y

511,769.81

4,164,568.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 9 MI E OF LONG LANE, 1 MI N OF BENNETT SPRING ROADS.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011132**WELL TYPE

Private Well

DRILL DATE: 1947/09/01TOWNSHIP RANGE SECTIONELEVATION: 1,105FTDRILL DEPTH: 107FT

34N

18W

4

DEPTH TO BED: 30FTUTM XUTM Y

507,513.66 4,174,797.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; WINDYVILLES.W.L. (AFTER CASING):**LOG ID:****011085**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIP RANGE SECTIONELEVATION: 1,133FTDRILL DEPTH: 190FT

34N

18W

9

DEPTH TO BED: 45FTUTM XUTM Y

507,855.72 4,170,471.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; 5 MI N OF LONG
LANES.W.L. (AFTER CASING):**LOG ID:****007484**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/01/01TOWNSHIP RANGE SECTIONELEVATION: 1,083FTDRILL DEPTH: 85FT

34N

19W

12

DEPTH TO BED: 3FTUTM XUTM Y

502,686.69 4,170,981.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PROSPECT HOLES.W.L. (AFTER CASING):**LOG ID:****016311**WELL TYPE

Oil Well

DRILL DATE: 1957/06/01TOWNSHIP RANGE SECTIONELEVATION: 1,045FTDRILL DEPTH: 600FT

34N

19W

29

DEPTH TO BED: 295FTUTM XUTM Y

496,048.72 4,166,399.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRY & ABANDONED - #_ TED SCOTTS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018127**WELL TYPE

Private Well

DRILL DATE: 1959/05/01TOWNSHIPRANGESECTIONELEVATION:

1,142FT

DRILL DEPTH: 263FT

34N

19W

33

DEPTH TO BED: 10FTUTM XUTM Y

498,327.75

4,164,659.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 145**LOG ID:****008118**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,056FT

DRILL DEPTH: 95FT

34N

19W

8

DEPTH TO BED: 20FTUTM XUTM Y

496,471.68

4,170,120.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Burton L. Krone - 5 mi NE of BuffaloS.W.L. (AFTER CASING):**LOG ID:****008122**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,180FT

DRILL DEPTH: 102FT

34N

20W

10

DEPTH TO BED: 35FTUTM XUTM Y

490,420.64

4,171,492.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Harry Sloan - 2 mi N of Buffalo & 0.5 mi E; no production or construction dataS.W.L. (AFTER CASING):**LOG ID:****007487**WELL TYPE

Private Well

DRILL DATE: 1941/09/15TOWNSHIPRANGESECTIONELEVATION:

1,168FT

DRILL DEPTH: 135FT

34N

20W

11

DEPTH TO BED: 47FTUTM XUTM Y

491,021.65

4,170,836.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N 0.5 MI W OF BUFFALO ON HWY 65; OLD WELL DEEPENED 47-135'S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007488**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/11/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	152FT	34N	20W	14		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				491,580.66	4,169,432.27
<u>S.W.L. (AFTER CASING):</u>	66				ZONE 15	

REMARKS: 1.5 MI N OF BUFFALO ON HWY 73, ON UPLAND

LOG ID:**026320**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/08/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,102FT
<u>DRILL DEPTH:</u>	240FT	34N	20W	15		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				490,185.65	4,169,864.27
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	

REMARKS: 1 MI W OF HWY 65 ON LEFT SIDE; POOR SAMPLES

LOG ID:**007489**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/12/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,134FT
<u>DRILL DEPTH:</u>	195FT	34N	20W	19		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				484,564.66	4,167,027.23
<u>S.W.L. (AFTER CASING):</u>	70				ZONE 15	

REMARKS: 5.25 MI W OF BUFFALO, ON HILLSIDE

LOG ID:**002109**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1927/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,168FT
<u>DRILL DEPTH:</u>	715FT	34N	20W	26		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				491,904.70	4,166,415.26
<u>S.W.L. (AFTER CASING):</u>	181				ZONE 15	

REMARKS: DEEPENED 662-715' 2/1940; PLUGGED-1950 BY LAYNE-WESTERN



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008198**WELL TYPE

Community Public Well

DRILL DATE: 1943/06/01TOWNSHIPRANGESECTIONELEVATION:

1,185FT

DRILL DEPTH: 1,035FT

34N

20W

26

DEPTH TO BED: 7FTUTM XUTM Y

492,103.70

4,166,210.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 188**LOG ID:****010209**WELL TYPE

Private Well

DRILL DATE: 1948/06/01TOWNSHIPRANGESECTIONELEVATION:

1,197FT

DRILL DEPTH: 285FT

34N

20W

26

DEPTH TO BED: 20FTUTM XUTM Y

491,704.71

4,165,207.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI S OF SQUARE IN BUFFALOS.W.L. (AFTER CASING): 95**LOG ID:****011219**WELL TYPE

Community Public Well

DRILL DATE: 1950/02/10TOWNSHIPRANGESECTIONELEVATION:

1,192FT

DRILL DEPTH: 1,050FT

34N

20W

26

DEPTH TO BED: 10FTUTM XUTM Y

491,961.70

4,166,500.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 186**LOG ID:****010330**WELL TYPE

Private Well

DRILL DATE: 1948/07/01TOWNSHIPRANGESECTIONELEVATION:

1,177FT

DRILL DEPTH: 135FT

34N

20W

27

DEPTH TO BED: 10FTUTM XUTM Y

490,100.69

4,166,463.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W JCT HWY 65 ON HWY 64S.W.L. (AFTER CASING): 58

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013466

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,084FT
<u>DRILL DEPTH:</u>	166FT	34N	20W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				488,093.69	4,165,893.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 2.5 MI W OF BUFFALO ON HWY 64				
<u>S.W.L. (AFTER CASING):</u>	30					

LOG ID:
027773

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,185FT
<u>DRILL DEPTH:</u>	173FT	34N	20W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					490,691.59	4,175,382.29
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> NO TOPS OR SAMPLES RUN, JUST TD				
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:
010207

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,138FT
<u>DRILL DEPTH:</u>	100FT	34N	20W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					486,742.70	4,164,044.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:
004162

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	148FT	34N	20W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				488,090.59	4,174,907.27
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	50					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027124**WELL TYPE

Private Well

DRILL DATE: 1970/03/10TOWNSHIPRANGESECTIONELEVATION:

1,034FT

DRILL DEPTH: 321FT

35N

18W

18

DEPTH TO BED: 155FTUTM XUTM Y

503,382.56

4,180,991.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 1.5 MI ON HWY FF, NEAR SCHOOL HOUSES.W.L. (AFTER CASING): 171**LOG ID:****017148**WELL TYPE

Private Well

DRILL DATE: 1958/00/00TOWNSHIPRANGESECTIONELEVATION:

1,169FT

DRILL DEPTH: 200FT

35N

18W

21

DEPTH TO BED: 65FTUTM XUTM Y

507,529.59

4,179,795.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****006879**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/05/01TOWNSHIPRANGESECTIONELEVATION:

1,080FT

DRILL DEPTH: 169FT

35N

18W

25

DEPTH TO BED: 25FTUTM XUTM Y

511,004.65

4,177,139.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 131**LOG ID:****023605**WELL TYPE

Private Well

DRILL DATE: 1965/06/09TOWNSHIPRANGESECTIONELEVATION:

909FT

DRILL DEPTH: 212FT

35N

18W

25

DEPTH TO BED: 25FTUTM XUTM Y

511,904.66

4,176,629.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 51



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020718**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1962/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	974FT
<u>DRILL DEPTH:</u>	350FT	35N	18W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				509,626.65	4,176,713.36
<u>S.W.L. (BEFORE CASING):</u>	97	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	105	FT				

REMARKS: 1 MI SW OF CUDD SCHOOL

LOG ID:**011086**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,090FT
<u>DRILL DEPTH:</u>	96FT	35N	18W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				507,012.65	4,175,160.35
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

LOG ID:**002543**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1932/02/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	864FT
<u>DRILL DEPTH:</u>	96FT	35N	18W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				511,660.67	4,175,834.36
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: ON NIANGUA RIVER AT BENNETT SPRINGS

LOG ID:**027480**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1973/12/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	880FT
<u>DRILL DEPTH:</u>	1,450FT	35N	18W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				505,707.53	4,183,544.36
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: CORE #63W5(DA-1); 10-FT SAMPLES TO 600', 5-FT TO 600-TD



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007730**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1942/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,106FT
<u>DRILL DEPTH:</u>	135FT	35N	19W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				501,759.52	4,183,378.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	L.L. Albin?? - prospect hole - "no lead or zinc"			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**008139**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,106FT
<u>DRILL DEPTH:</u>	150FT	35N	19W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				501,759.52	4,183,378.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	L.L. Albin??? - prospect hole			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**008140**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,106FT
<u>DRILL DEPTH:</u>	95FT	35N	19W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				501,759.52	4,183,378.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	L.L. Albin??? - prospect hole - galena 65 to 70 feet			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**008142**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,106FT
<u>DRILL DEPTH:</u>	125FT	35N	19W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				501,759.52	4,183,378.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	L.L. Alvin???			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007667**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/02/28TOWNSHIP RANGE SECTIONELEVATION: 1,073FTDRILL DEPTH: 152FT

35N 19W 12

DEPTH TO BED:UTM X UTM Y
501,407.52 4,182,676.35
ZONE 15S.W.L. (BEFORE CASING):REMARKS: LEAD PROSPECTS.W.L. (AFTER CASING):**LOG ID:****007668**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/03/05TOWNSHIP RANGE SECTIONELEVATION: 1,073FTDRILL DEPTH: 180FT

35N 19W 12

DEPTH TO BED: 10FTUTM X UTM Y
501,407.52 4,182,676.35
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PROSPECT HOLE FOR LEADS.W.L. (AFTER CASING):**LOG ID:****010206**WELL TYPE

Private Well

DRILL DATE: 1948/06/01TOWNSHIP RANGE SECTIONELEVATION: 1,089FTDRILL DEPTH: 160FT

35N 19W 2

DEPTH TO BED: 10FTUTM X UTM Y
500,347.51 4,183,417.34
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: PLAD RR #1S.W.L. (AFTER CASING): 74**LOG ID:****005961**WELL TYPE

Private Well

DRILL DATE: 1940/04/01TOWNSHIP RANGE SECTIONELEVATION: 1,153FTDRILL DEPTH: 70FT

35N 19W 28

DEPTH TO BED: 15FTUTM X UTM Y
496,493.59 4,177,281.33
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: AT WOOD HILLS.W.L. (AFTER CASING): 23



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010027**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/04/01 TOWNSHIP 35N RANGE 19W SECTION 30 ELEVATION: 1,137FT
DRILL DEPTH: 101FT UTM X 493,960.58 UTM Y 4,177,706.31
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FILLING STATION AT JCLT OF HWYS 73 & 64 - NO DATA
S.W.L. (AFTER CASING):

LOG ID:**017149**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/01/01 TOWNSHIP 35N RANGE 19W SECTION 30 ELEVATION: 1,176FT
DRILL DEPTH: 312FT UTM X 493,960.56 UTM Y 4,178,522.31
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: MANY MISSING SAMPLES
S.W.L. (AFTER CASING): 89

LOG ID:**004166**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/00/00 TOWNSHIP 35N RANGE 20W SECTION 1 ELEVATION: 1,032FT
DRILL DEPTH: 148FT UTM X 493,035.49 UTM Y 4,183,964.31
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: PROSPECT HOLE
S.W.L. (AFTER CASING):

LOG ID:**015058**WELL TYPE

Private Well

DRILL DATE: 1956/05/10 TOWNSHIP 35N RANGE 20W SECTION 20 ELEVATION: 1,150FT
DRILL DEPTH: 203FT UTM X 485,809.53 UTM Y 4,180,536.27
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 35



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007227**WELL TYPE

Private Well

DRILL DATE: 1940/10/01TOWNSHIP RANGE SECTIONELEVATION: 1,167FTDRILL DEPTH: 100FT

35N 20W 21

DEPTH TO BED: 25FTUTM X UTM Y
487,212.55 4,179,071.28
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: W EDGE OF LOUISBURGS.W.L. (AFTER CASING): 44**LOG ID:****004309**WELL TYPE

Private Well

DRILL DATE: 1937/06/01TOWNSHIP RANGE SECTIONELEVATION: 1,157FTDRILL DEPTH: 75FT

35N 20W 22

DEPTH TO BED: 15FTUTM X UTM Y
488,226.54 4,179,426.28
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****027086**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,151FTDRILL DEPTH: 800FT

35N 20W 28

DEPTH TO BED: 15FTUTM X UTM Y
487,367.55 4,178,469.28
ZONE 15S.W.L. (BEFORE CASING): 72REMARKS: formerly in name of Louisburg Vocational Training SchoolS.W.L. (AFTER CASING): FT**LOG ID:****020906**WELL TYPE

Private Well

DRILL DATE: 1962/02/28TOWNSHIP RANGE SECTIONELEVATION: 1,154FTDRILL DEPTH: 345FT

35N 20W 9

DEPTH TO BED: 25FTUTM X UTM Y
486,925.50 4,182,913.27
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF LOUISBURG ON HWY 65S.W.L. (AFTER CASING): 110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025604**WELL TYPE

Private Well

DRILL DATE: 1967/11/27TOWNSHIPRANGESECTIONELEVATION:

1,144FT

DRILL DEPTH: 370FT

35N

20W

9

DEPTH TO BED: 10FTUTM XUTM Y

486,725.50

4,183,117.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF URBANA ON HWY 65S.W.L. (AFTER CASING): 100**LOG ID:****015908**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

793FT

DRILL DEPTH: 85FT

36N

18W

10

DEPTH TO BED: 20FTUTM XUTM Y

507,946.42

4,191,996.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 14**LOG ID:****017881**WELL TYPE

Private Well

DRILL DATE: 1958/06/08TOWNSHIPRANGESECTIONELEVATION:

1,025FT

DRILL DEPTH: 555FT

36N

18W

31

DEPTH TO BED: 15FTUTM XUTM Y

503,494.48

4,186,225.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 16 MI N & 4 MI E OF BUFFALOS.W.L. (AFTER CASING): 100**LOG ID:****010331**WELL TYPE

Private Well

DRILL DATE: 1948/07/01TOWNSHIPRANGESECTIONELEVATION:

1,067FT

DRILL DEPTH: 100FT

36N

19W

20

DEPTH TO BED: 10FTUTM XUTM Y

495,471.43

4,189,323.31

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES LOGGED 50-100'S.W.L. (AFTER CASING): 35



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006411**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTIONELEVATION: 924FTDRILL DEPTH: 101FT

36N 19W 21

DEPTH TO BED: 20FTUTM X UTM Y
497,693.42 4,189,658.33
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 15 MI N, 2 MI E OF BUFFALO, 1 MI W OF HEY 73 - NO PROD OR
CONST DATAS.W.L. (AFTER CASING):**LOG ID:****008111**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 105FT

36N 19W 22

DEPTH TO BED: 15FTUTM X UTM Y
498,303.42 4,189,795.33
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ON HILL ABOVE NIANGUA RIVER BRIDGE 0.75 MI N OF TUNASS.W.L. (AFTER CASING): 30**LOG ID:****024821**WELL TYPE

Private Well

DRILL DATE: 1966/07/26TOWNSHIP RANGE SECTIONELEVATION: 1,000FTDRILL DEPTH: 176FT

36N 20W 14

DEPTH TO BED: 15FTUTM X UTM Y
490,284.40 4,191,335.29
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: EVERY OTHER SAMPLE BELOW 95'S.W.L. (AFTER CASING): 50**LOG ID:****014300**WELL TYPE

Private Well

DRILL DATE: 1955/07/16TOWNSHIP RANGE SECTIONELEVATION: 1,076FTDRILL DEPTH: 230FT

36N 20W 29

DEPTH TO BED: 10FTUTM X UTM Y
486,262.43 4,188,415.27
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: MANY MISSING SAMPLES, NEARLY EVERY OTHER ONES.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015059**WELL TYPE

Private Well

DRILL DATE: 1956/05/14TOWNSHIPRANGESECTIONELEVATION:

1,054FT

DRILL DEPTH: 110FT

36N

20W

30

DEPTH TO BED: 5FTUTM XUTM Y

484,889.43

4,188,417.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 23**LOG ID:****020856**WELL TYPE

Community Public Well

DRILL DATE: 1962/08/01TOWNSHIPRANGESECTIONELEVATION:

1,082FT

DRILL DEPTH: 695FT

36N

20W

30

DEPTH TO BED: 25FTUTM XUTM Y

484,481.43

4,188,444.26

ZONE 15

S.W.L. (BEFORE CASING): 81REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****021105**WELL TYPE

Private Well

DRILL DATE: 1962/05/23TOWNSHIPRANGESECTIONELEVATION:

1,123FT

DRILL DEPTH: 190FT

36N

20W

30

DEPTH TO BED: 75FTUTM XUTM Y

484,289.44

4,188,035.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 75-190' (OLD WELL NOT IN FILES)S.W.L. (AFTER CASING): 36

DALLAS